```
      (FILE 'HOME' ENTERED AT 15:26:12 ON 30 MAR 2008)


      FILE 'CASREACT' ENTERED AT 15:26:43 ON 30 MAR 2008
L1               STRUCTURE UPLOADED
L2          0 S L1
L3          0 S L1 FUL
L4               STRUCTURE UPLOADED
L5          0 S L4
L6          0 S L4 FUL
L7               STRUCTURE UPLOADED
L8          0 S L7
L9          0 S L7 FUL
L10              STRUCTURE UPLOADED
L11              STRUCTURE UPLOADED
L12         0 S L11
L13         0 S L11 FUL
L14              STRUCTURE UPLOADED
L15         0 S L14
L16         0 S L14 FUL


      FILE 'REGISTRY' ENTERED AT 15:48:18 ON 30 MAR 2008
L17              STRUCTURE UPLOADED
L18         0 S L17
L19         0 S L17 FUL
L20              STRUCTURE UPLOADED
L21         0 S L20
L22         0 S L20 FUL
L23              STRUCTURE UPLOADED
L24         0 S L23
L25         0 S L23 FUL
L26              STRUCTURE UPLOADED
L27         1 S L26
L28         2 S L26 FUL
L29              STRUCTURE UPLOADED
L30         9 S L29
L31       149 S L29 FUL


      FILE 'CAPLUS, CAOLD' ENTERED AT 16:01:07 ON 30 MAR 2008
L32        10 S L30
L33         1 S L32 AND ENANTIOM?
L34       158 S L31
L35         5 S L34 AND ENANTIOM?
L36         4 S L35 NOT L33

=> d l1
L1 HAS NO ANSWERS
L1               STR
```

Structure attributes must be viewed using STN Express query preparation.


```
=> d l4
L4 HAS NO ANSWERS
L4                 STR
```


Structure attributes must be viewed using STN Express query preparation.


```
=> d l7
L7 HAS NO ANSWERS
L7                 STR
```

Structure attributes must be viewed using STN Express query preparation.


```
=> d l11
L11 HAS NO ANSWERS
L11                STR
```


Structure attributes must be viewed using STN Express query preparation.


```
=> d l14
L14 HAS NO ANSWERS
L14                STR
```

Structure attributes must be viewed using STN Express query preparation.


```
=> d l17
L17 HAS NO ANSWERS
L17                  STR
```


Structure attributes must be viewed using STN Express query preparation.


```
=> d l20
L20 HAS NO ANSWERS
L20                  STR
```

Structure attributes must be viewed using STN Express query preparation.


```
=> d l23
L23 HAS NO ANSWERS
L23                 STR
```


Structure attributes must be viewed using STN Express query preparation.


```
=> d l26
L26 HAS NO ANSWERS
L26                 STR
```

Structure attributes must be viewed using STN Express query preparation.

=> d l29
L29 HAS NO ANSWERS
L29   STR

Structure attributes must be viewed using STN Express query preparation.